


## BACKGROUND




Electricity consumption in the water sector by process and region in 2014; Source: IEA (2016).

- In developed countries, **42%** of water-related electricity consumption is used for wastewater treatment.
- Globally, wastewater treatment consumes about 200 TWh of energy.


Flexible operation of wastewater treatment plants can provide a tool to introduce more demand-side flexibility to the energy system.

## RESEARCH QUESTION



Identification and quantification of flexibility potential as prerequisite


## APPROACH




## METHODOLOGY

**BACKBONE:** generic energy system optimization tool written in GAMS.

- Adaptable
- Short-term forecasts and longer-term statistical uncertainties
- Data driven



## CONTRIBUTION



## OUTLOOK

- Further work on Backbone
- Data for Ireland
- Wastewater treatment plant operation profiles according to different flexibility options
- Quantification of system benefits
- Potential extensions of the model
  - Modelling the water grid to extend storage possibilities
  - On-site biogas production
  - Policy interventions

### ACKNOWLEDGEMENT

This publication has emanated from research conducted with the financial support of Science Foundation Ireland under the SFI Strategic Partnership Programme Grant Number SFI/15/SPP/E3125. The opinions, findings and conclusions or recommendations expressed in this m of the author(s) and do not necessarily reflect the views of the Science Foundation Ireland.